## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

	L#	Hits	Search Text	DBs	Time Stamp
1	L1	354	(alpha adj amylase\$1) same bacillus same (mutant\$1 or variant\$1)	USPAT; US-PGPUB	2003/06/24 09:22
2	L2	5575	(mutant\$1 or variant\$1) same (stability or thermostabilty or calcium adj depend\$8)	USPAT; US-PGPUB	2003/06/24 09:29
3	L3	198	1 and 2	USPAT; US-PGPUB	2003/06/24 09:29

.

FILE 'HOME' ENTERED AT 13:51:52 ON 24 JUN 2003

=> fil .bec

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION 0.21

FULL ESTIMATED COST

FILES 'MEDLINE, SCISEARCH, LIFESCI, BIOTECHDS, BIOSIS, EMBASE, HCAPLUS, NTIS, ESBIOBASE, BIOTECHNO, WPIDS' ENTERED AT 13:52:13 ON 24 JUN 2003 ALL COPYRIGHTS AND RESTRICTIONS APPLY. SEE HELP USAGETERMS FOR DETAILS.

11 FILES IN THE FILE LIST

=> s alpha amylase#

FILE 'MEDLINE'

447353 ALPHA

19952 AMYLASE#

L1 4399 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

FILE 'SCISEARCH'

630747 ALPHA

15981 AMYLASE#

L2 7110 ALPHA AMYLASE#

(ALPHA(W)AMYLASE#)

FILE 'LIFESCI'

145006 "ALPHA"

4245 AMYLASE#

L3 2543 ALPHA AMYLASE#

("ALPHA" (W) AMYLASE#)

FILE 'BIOTECHDS'

23121 ALPHA

4710 AMYLASE#

L4 3163 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

FILE 'BIOSIS'

587478 ALPHA

26799 AMYLASE#

L5 9525 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

FILE 'EMBASE'

499172 "ALPHA"

14617 AMYLASE#

L6 3240 ALPHA AMYLASE#

("ALPHA" (W) AMYLASE#)

FILE 'HCAPLUS'

1408155 ALPHA

42248 AMYLASE#

L7 17466 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

FILE 'NTIS'

28393 ALPHA

163 AMYLASE#

L8 60 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

FILE 'ESBIOBASE'

171445 ALPHA

3652 AMYLASE#

L9 1737 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

FILE 'BIOTECHNO'

177086 ALPHA

4026 AMYLASE#

L10 2049 ALPHA AMYLASE#

(ALPHA(W)AMYLASE#)

FILE 'WPIDS'

162271 ALPHA

5020 AMYLASE#

L11 2076 ALPHA AMYLASE#

(ALPHA (W) AMYLASE#)

TOTAL FOR ALL FILES

L12 53368 ALPHA AMYLASE#

=> s 112(3a) (muta? or variant#)

FILE 'MEDLINE'

409187 MUTA?

89068 VARIANT#

L13 57 L1 (3A) (MUTA? OR VARIANT#)

FILE 'SCISEARCH'

386646 MUTA?

93552 VARIANT#

L14 72 L2 (3A) (MUTA? OR VARIANT#)

FILE 'LIFESCI'

185562 MUTA?

30766 VARIANT#

L15 54 L3 (3A) (MUTA? OR VARIANT#)

FILE 'BIOTECHDS'

34388 MUTA?

10241 VARIANT#

L16 116 L4 (3A) (MUTA? OR VARIANT#)

FILE 'BIOSIS'

456180 MUTA?

93859 VARIANT#

L17 157 L5 (3A) (MUTA? OR VARIANT#)

FILE 'EMBASE'

332869 MUTA?

77197 VARIANT#

L18 50 L6 (3A) (MUTA? OR VARIANT#)

FILE 'HCAPLUS'

418917 MUTA?

86673 VARIANT#

L19 265 L7 (3A) (MUTA? OR VARIANT#)

FILE 'NTIS'

9391 MUTA?

4387 VARIANT#

L20 0 L8 (3A) (MUTA? OR VARIANT#)

FILE 'ESBIOBASE'

189272 MUTA?

32332 VARIANT#

L21 30 L9 (3A) (MUTA? OR VARIANT#)

FILE 'BIOTECHNO'

226128 MUTA?

38635 VARIANT#

L22 42 L10(3A) (MUTA? OR VARIANT#)

FILE 'WPIDS'

21493 MUTA?

20668 VARIANT#

L23 58 L11(3A) (MUTA? OR VARIANT#)

TOTAL FOR ALL FILES

L24 901 L12(3A) (MUTA? OR VARIANT#)

=> s l12(3a)(Bacillus or termamyl)

FILE 'MEDLINE'

43147 BACILLUS

8 TERMAMYL

L25 415 L1 (3A) (BACILLUS OR TERMAMYL)

FILE 'SCISEARCH'

42526 BACILLUS

42 TERMAMYL

L26 623 L2 (3A) (BACILLUS OR TERMAMYL)

FILE 'LIFESCI'

23044 BACILLUS

12 TERMAMYL

L27 426 L3 (3A) (BACILLUS OR TERMAMYL)

FILE 'BIOTECHDS'

15368 BACILLUS

52 TERMAMYL

L28 907 L4 (3A) (BACILLUS OR TERMAMYL)

FILE 'BIOSIS'

62404 BACILLUS

63 TERMAMYL

L29 926 L5 (3A) (BACILLUS OR TERMAMYL)

FILE 'EMBASE'

31699 BACILLUS

24 TERMAMYL

L30 .409 L6 (3A) (BACILLUS OR TERMAMYL)

FILE 'HCAPLUS'

74546 BACILLUS

318 TERMAMYL

L31 1972 L7 (3A) (BACILLUS OR TERMAMYL)

FILE 'NTIS'

1613 BACILLUS

0 TERMAMYL

L32 4 L8 (3A) (BACILLUS OR TERMAMYL)

FILE 'ESBIOBASE'

12152 BACILLUS

15 TERMAMYL

L33 199 L9 (3A) (BACILLUS OR TERMAMYL)

FILE 'BIOTECHNO'

19004 BACILLUS

17 TERMAMYL

L34 371 L10(3A) (BACILLUS OR TERMAMYL)

FILE 'WPIDS'

10642 BACILLUS

34 TERMAMYL

L35 178 L11(3A) (BACILLUS OR TERMAMYL)

TOTAL FOR ALL FILES

L36 6430 L12(3A) (BACILLUS OR TERMAMYL)

=> s 124 and 136

FILE 'MEDLINE'

L37 20 L13 AND L25

FILE 'SCISEARCH'

L38 22 L14 AND L26

FILE 'LIFESCI'

L39 17 L15 AND L27

FILE 'BIOTECHDS'

L40 57 L16 AND L28

FILE 'BIOSIS'

L41 45 L17 AND L29

FILE 'EMBASE'

L42 17 L18 AND L30

FILE 'HCAPLUS'

L43 120 L19 AND L31

FILE 'NTIS'

L44 0 L20 AND L32

FILE 'ESBIOBASE'

L45 5 L21 AND L33

FILE 'BIOTECHNO'

L46 10 L22 AND L34

FILE 'WPIDS'

L47 29 L23 AND L35

TOTAL FOR ALL FILES

L48 342 L24 AND L36

=> s 148 not 1997-1999/py

FILE 'MEDLINE'

1333854 1997-1999/PY

L49 18 L37 NOT 1997-1999/PY

FILE 'SCISEARCH'

2862496 1997-1999/PY

L50 20 L38 NOT 1997-1999/PY

FILE 'LIFESCI'

337241 1997-1999/PY

L51 15 L39 NOT 1997-1999/PY

FILE 'BIOTECHDS'

41041 1997-1999/PY

L52 44 L40 NOT 1997-1999/PY

FILE 'BIOSIS'

1680802 1997-1999/PY

L53 41 L41 NOT 1997-1999/PY

FILE 'EMBASE'

1252969 1997-1999/PY

L54 15 L42 NOT 1997-1999/PY

FILE 'HCAPLUS'

2535600 1997-1999/PY

L55 86 L43 NOT 1997-1999/PY

FILE 'NTIS'

85443 1997-1999/PY

L56 0 L44 NOT 1997-1999/PY

FILE 'ESBIOBASE'

831730 1997-1999/PY

L57 3 L45 NOT 1997-1999/PY

FILE 'BIOTECHNO'

338670 1997-1999/PY

L58 9 L46 NOT 1997-1999/PY

FILE 'WPIDS'

2351668 1997-1999/PY

L59 12 L47 NOT 1997-1999/PY

TOTAL FOR ALL FILES

L60 263 L48 NOT 1997-1999/PY

=> s 160 not 2000-2003/pv

FILE 'MEDLINE'

1753010 2000-2003/PY

L61 17 L49 NOT 2000-2003/PY

FILE 'SCISEARCH'

3309811 2000-2003/PY

L62 19 L50 NOT 2000-2003/PY

FILE 'LIFESCI'

336333 2000-2003/PY

L63 14 L51 NOT 2000-2003/PY

FILE 'BIOTECHDS'

61757 2000-2003/PY

L64 34 L52 NOT 2000-2003/PY

FILE 'BIOSIS'

1803382 2000-2003/PY

L65 30 L53 NOT 2000-2003/PY

FILE 'EMBASE'

1500007 2000-2003/PY

L66 15 L54 NOT 2000-2003/PY

FILE 'HCAPLUS'

3330626 2000-2003/PY

L67 64 L55 NOT 2000-2003/PY

FILE 'NTIS'

55117 2000-2003/PY

L68 0 L56 NOT 2000-2003/PY

```
FILE 'ESBIOBASE'
        967524 2000-2003/PY
             3 L57 NOT 2000-2003/PY
L69
FILE 'BIOTECHNO'
        395493 2000-2003/PY
             9 L58 NOT 2000-2003/PY
L70
FILE 'WPIDS'
       2981530 2000-2003/PY
             1 L59 NOT 2000-2003/PY
L71
TOTAL FOR ALL FILES
           206 L60 NOT 2000-2003/PY
L72
=> dup rem 172
PROCESSING COMPLETED FOR L72
            108 DUP REM L72 (98 DUPLICATES REMOVED)
L73
=> d tot
L73
      ANSWER 1 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
TI
      Laundry detergent containing a mutant alpha-
      amylase;
         Bacillus licheniformis recombinant enzyme production by enzyme
         engineering, for application as a laundry surfactant
      Barnett C C; Boyer S G; Mitchinson C; Power S D
ΑU
AN
      1997-00549 BIOTECHDS
PΙ
      WO 9630481 3 Oct 1996
      ANSWER 2 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
ΤI
      New alpha-amylase variants;
         mutant enzyme construction for improved calcium dependency, substrate
         binding, cleavage, pH dependent activity and thermostability;
         application in e.g. surfactant composition
ΑU
      Svendsen A; Bisgard-Frantzen H; Borchert T V
      1996-12567 BIOTECHDS
AN
      WO 9623874 8 Aug 1996
_{
m PI}
      ANSWER 3 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
ΤI
      Improved bleach-containing cleaning composition;
         granular bleach-containing granular surfactant containing
         Bacillus licheniformis mutant alpha-
         amylase and Bacillus amyloliquefaciens
         mutant protease
AU
      Barnett C C; Mitchinson C; Power S D
      1996-06019 BIOTECHDS
AN
      WO 9605295 22 Feb 1996
PΤ
      ANSWER 4 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Acid-stable and thermostable alpha-amylase gene;
TI
         characterization from Bacillus licheniformis; enzyme engineering
AN
      1997-01693 BIOTECHDS
PΙ
      JP 08289788 5 Nov 1996
     ANSWER 5 OF 108 HCAPLUS COPYRIGHT 2003 ACS
1.73
     Purification and characterization of a truncated Bacillus
TT
     subtilis .alpha.-amylase produced by Escherichia coli
     Applied Microbiology and Biotechnology (1996), 44(6), 746-52
SO
     CODEN: AMBIDG; ISSN: 0175-7598
ΑU
     Marco, J. L.; Bataus, L. A.; Valencia. F. F.; Ulhoa, C. J.; Astolfi-Filho,
     S.; Felix, C. R.
```

1996:206488 HCAPLUS

ΑN

- DN 124:336337
- L73 ANSWER 6 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Structure-function studies of two polysaccharide-degrading enzymes:

  Bacilus stearothermophilus .alpha.-amylase
  and Trichoderma reesei cellobiohydrolase II
- SO VTT Publications (1996), 277, 143pp CODEN: VTTPEY; ISSN: 1235-0621
- AU Koivula, Anu
- AN 1996:749573 HCAPLUS
- DN 126:28530
- L73 ANSWER 7 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Instability of .alpha.-amylase production and morphological variation in continuous culture of Bacillus amyloliquefaciens is associated with plasmid loss
- SO Process Biochemistry (Oxford) (1996), Volume Date 1997, 32(1), 51-59 CODEN: PBCHE5; ISSN: 1359-5113
- AU Hillier, P.; Wase, D. A. J.; Emery, A. N.; Solomons, G. L.
- AN 1996:695106 HCAPLUS
- DN 125:326485
- L73 ANSWER 8 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Hyperthermostable mutants of Bacillus licheniformis: thermodynamic studies and structural interpretation
- SO Perspectives on Protein Engineering '96, [International Conference], 5th, Montpellier, Fr., 1996 (1996), Paper No. 7, 9 pp. Editor(s): Geisow, Michael J. Publisher: BIODIGM, Bingham, UK.

  CODEN: 64HIAR
- AU Declerck, Nathalie; Gaillardin, Claude; Machius, Mischa; Wiegand, Georg; Huber, Robert
- AN 1997:287296 HCAPLUS
- DN 126:314064
- L73 ANSWER 9 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- TI Mutant B. licheniformis alpha-amylase enzymes;

Bacillus licheniformis mutant thermostable enzyme production; application in starch degradation, textile or paper desizing, brewing industry and as household surfactant

- AU van der Laan J M; Aehle W
- AN 1996-03039 BIOTECHDS
- PI WO 9535382 28 Dec 1995
- L73 ANSWER 10 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- TI New alpha-amylase variants;

Bacillus liquefaciens alpha-amylase

enzyme engineering for improved thermostability, pH stability, etc.; application in surfactant composition to improve washing performance

- AU Bisgard-Frantzen H; Borchert T V; Svendsen A; Thellersen M; van der Zee P
- AN 1995-07973 BIOTECHDS
- PI WO 9510603 20 Apr 1995
- L73 ANSWER 11 OF 108 MEDLINE DUPLICATE 1
- TI Hyperthermostable mutants of Bacillus licheniformis alpha-amylase: multiple amino acid replacements and molecular modelling.
- SO PROTEIN ENGINEERING, (1995 Oct) 8 (10) 1029-37.

  Journal code: 8801484. ISSN: 0269-2139.
- AU Declerck N; Joyet P; Trosset J Y; Garnier J; Gaillardin C
- AN 96367070 MEDLINE
- L73 ANSWER 12 OF 108 MEDLINE DUPLICATE 2
- TI Effects of signal peptide mutations on processing of Bacillus

```
stearothermophilus alpha-amylase in Escherichia coli.
     MICROBIOLOGY, (1995 Mar) 141 ( Pt 3) 649-54.
SO
     Journal code: 9430468. ISSN: 1350-0872.
     Suominen I; Meyer P; Tilgmann C; Glumoff T; Glumoff V; Kapyla J; Mantsala
ΑU
     95227363
                  MEDLINE
AN
     ANSWER 13 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Bacillus licheniformis, Bacillus stearothermophilus and Bacillus
TI
      amyloliquefaciens alpha-amylase enzyme engineering
      by site-directed mutagenesis;
         DNA sequence; application in a surfactant or a starch liquefaction
         composition
      1994-13784 BIOTECHDS
AN
PΙ
      WO 9418314 18 Aug 1994
      ANSWER 14 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Lipase and alpha-amylase variant stabilized
TI
      against peroxidase system;
         Humicola lanuginosa or Bacillus licheniformis enzyme stabilization by
         enzyme engineering for use in a surfactant composition
AN
      1994-11299 BIOTECHDS
      WO 9414951 7 Jul 1994
PΙ
      ANSWER 15 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Mutant alpha-amylase from Bacillus
TΤ
      sp. use as surfactant, dish washing agent and liquefaction agent;
         Bacillus or Aspergillus spp. thermostable enzyme with increased
         thermostability and activity at low pH produced by enzyme engineering
AN
      1994-04189 BIOTECHDS
PΙ
      WO 9402597 3 Feb 1994
      ANSWER 16 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Saccharomycopsis fibuligera alpha-amylase or
ΤI
      Bacillus macerans cyclomaltodextrin-glucanotransferase mutant
      preparation;
         enzyme engineering for improved production of oligosaccharide
      1995-00657 BIOTECHDS
AN
      JP 06253836 13 Sep 1994
PΙ
                                                        DUPLICATE 3
L73 ANSWER 17 OF 108
                          MEDLINE
     Site-directed mutagenesis reveals critical importance of the catalytic
     site in the binding of alpha-amylase by wheat proteinaceous inhibitor.
     BIOCHEMISTRY, (1994 Jun 28) 33 (25) 7925-30.
SO
     Journal code: 0370623. ISSN: 0006-2960.
     Takase K
ΑU
     94281224
                  MEDLINE
AN
    ANSWER 18 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISIDUPLICATE 4
L73
     C-TERMINAL TRUNCATIONS OF A THERMOSTABLE BACILLUS
TI
     -STEAROTHERMOPHILUS ALPHA-AMYLASE
     PROTEIN ENGINEERING, (OCT 1994) Vol. 7, No. 10, pp. 1255-1259.
SO
     ISSN: 0269-2139.
     VIHINEN M (Reprint); PELTONEN T; IITIA A; SUOMINEN I; MANTSALA P
ΑIJ
ΑN
     94:668008 SCISEARCH
L73 ANSWER 19 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISIDUPLICATE 5
     CHANGES IN OPTIMUM PH AND THERMOSTABILITY OF ALPHA-
ΤТ
     AMYLASE FROM BACILLUS-LICHENIFORMIS BY SITE-DIRECTED
     MUTAGENESIS OF HIS-235 AND ASP-328
     BULLETIN OF THE KOREAN CHEMICAL SOCIETY, (20 OCT 1994) Vol. 15, No. 10,
SO
     pp. 832-835.
```

ISSN: 0253-2964.

ΑU

KIM M S (Reprint); LEE S K; JUNG H S; YANG C H

```
94:725048 SCISEARCH
AN
    ANSWER 20 OF 108 HCAPLUS COPYRIGHT 2003 ACS
L73
     Experimental study on the technological conditions of .alpha.-
TI
     amylase fermentation with Bacillus mutant
     Zhejiang Gongxueyuan Xuebao (1994), (2), 56-61
SO
     CODEN: ZGXUEM; ISSN: 1000-209X
     Zheng, Yuguo; Cao, Xiaoru; Lu, Jianwei; Li, Xiaoqin
ΑU
     1994:653778 HCAPLUS
AN
     121:253778
DN
      ANSWER 21 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Mutant Bacillus licheniformis alpha-
ΤI
      amylase promoter, vector and DNA sequence;
         application in alpha-amylase, cyclomaltodextrin-glucanotransferase,
         glucosyltransferase and protease production
      1993-09548 BIOTECHDS
AN
PΙ
      WO 9310249 27 May 1993
      ANSWER 22 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
ΤI
      New mutant Bacillus licheniformis alpha-
      amylase signal peptide sequence;
         to give reduced processing ambiguity during e.g. human recombinant
         interleukin-3 protein secretion
      1994-01346 BIOTECHDS
AN
PΙ
      EP 572088 1 Dec 1993
     ANSWER 23 OF 108 HCAPLUS COPYRIGHT 2003 ACS
L73
     Gene expressing in Bacillus licheniformis using especially .
TI
     alpha - amylase promoter variant
     PCT Int. Appl., 63 pp.
SO
     CODEN: PIXXD2
     Joergensen, Steen Troels; Joergensen, Per Linaa
IN
     1993:553380 HCAPLUS
AN
DN
     119:153380
                                          APPLICATION NO. DATE
     PATENT NO.
                     KIND DATE
                    ____
     WO 9310248
                           19930527
                                           WO 1992-DK337
                                                           19921113
PΤ
                     A1
         W: FI, JP, KR
         RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE
                                          JP 1993-508898
                     Т2
                                                            19921113
     JP 07503363
                            19950413
                                           EP 1992-923721
                                                            19921113
     EP 672154
                      A1
                            19950920
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE
                      Α
                            19940513
                                           FI 1994-2227
                                                            19940513
      ANSWER 24 OF 108 Elsevier BIOBASE COPYRIGHT 2003 Elsevier Science B.V.
L73
      DUPLICATE
AN
      1994016204
                   ESBIOBASE
TI
      Crystallization and preliminary X-ray studies of wild type and
      catalytic-site mutant alpha-amylase from
      Bacillus subtilis
ΑU
      Mizuno H.; Morimoto Y.; Tsukihara T.; Matsumoto T.; Takase K.
CS
      H. Mizuno, Japan.
      Journal of Molecular Biology, (1993), 234/4 (1283-1293)
SO
      CODEN: JMOBAK ISSN: 0022-2836
DT
      Journal; Article
      English
LΑ
      English
SL
L73 ANSWER 25 OF 108
                          MEDLINE
                                                        DUPLICATE 7
     Crystallization and preliminary X-ray studies of wild type and
TI
     catalytic-site mutant alpha-amylase from
     Bacillus subtilis.
     JOURNAL OF MOLECULAR BIOLOGY, (1993 Dec 20) 234 (4) 1282-3.
SO
```

- Journal code: 2985088R. ISSN: 0022-2836.
- Mizuno H; Morimoto Y; Tsukihara T; Matsumoto T; Takase K ΑU
- AN94087744 MEDLINE
- L73 ANSWER 26 OF 108 MEDLINE DUPLICATE 8
- ΤI Effect of mutation of an amino acid residue near the catalytic site on the activity of Bacillus stearothermophilus alphaamylase.
- EUROPEAN JOURNAL OF BIOCHEMISTRY, (1993 Feb 1) 211 (3) 899-902. SO Journal code: 0107600. ISSN: 0014-2956.
- ΑU Takase K
- 93170327 ANMEDLINE
- L73 ANSWER 27 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. DUPLICATE 9
- Transformation of Bacillus subtilis in alpha-TIamylase production by mutant DNA.
- SO Journal of the Chinese Agricultural Chemical Society, (1993) Vol. 31, No. 4, pp. 454-465. ISSN: 0578-1736.
- Wang, Mei-Jen; Chou, Cheng-Chun; Yu, Roch-Chui ΑU
- 1994:269713 BIOSIS AN
- ANSWER 28 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI L73
- ΤI Purification and characterization of a thermostable alphaamylase from Bacillus licheniformis; enzyme isolation and properties
- SO J.Biotechnol.; (1993) 28, 2-3, 277-89
- CODEN: JBITD4
- AU
- Ivanova V N; Dobreva E P; Emanuilova E I
- AN1993-07233 BIOTECHDS
- L73 ANSWER 29 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- TIStability of industrial enzymes;
  - enzyme stabilization by chemical modification or enzyme engineering (conference paper)
- SO Stud.Org.Chem.; (1993) 47, 111-31
- CODEN: 9999T
- Misset O ΑU
- 1994-05917 BIOTECHDS AN
- L73 -ANSWER 30 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- ΤI New thermostable forms of Bacillus licheniformis alpha
- -amylase; enzyme engineering by specific amino acid substitutions at positions
  - 133 and or 209, for simultaneous gelation and liquefaction of starch, e.g. in brewing
- 1993-03609 BIOTECHDS AN
- PΙ FR 2676456 20 Nov 1992
- L73ANSWER 31 OF 108 HCAPLUS COPYRIGHT 2003 ACS DUPLICATE 11
- TIThermostable variants of Bacillus licheniformis alpha-amylase, manufacture with transgenic cells, and their use
- SO Fr. Demande, 18 pp. CODEN: FRXXBL
- IN Declerck, Nathalie; Joyet, Philippe; Gaillardin, Claude
- 1993:55127 HCAPLUS AN
- DN 118:55127
  - PATENT NO. KIND DATE APPLICATION NO. DATE \_\_\_\_ -----
- PΙ FR 2665178 A1 19920131 FR 1990-9679 19900730
- L73 ANSWER 32 OF 108 MEDLINE

- TI Hyperthermostable variants of a highly thermostable alpha-amylase.
- SO BIO/TECHNOLOGY, (1992 Dec) 10 (12) 1579-83. Journal code: 8309273. ISSN: 0733-222X.
- AU Joyet P; Declerck N; Gaillardin C
- AN 93168398 MEDLINE
- L73 ANSWER 33 OF 108 MEDLINE DUPLICATE 13
- TI Interaction of catalytic-site mutants of Bacillus subtilis alpha-amylase with substrates and acarbose.
- SO BIOCHIMICA ET BIOPHYSICA ACTA, (1992 Aug 21) 1122 (3) 278-82. Journal code: 0217513. ISSN: 0006-3002.
- AU Takase K
- AN 92369111 MEDLINE
- L73 ANSWER 34 OF 108 MEDLINE DUPLICATE 14
- TI Functional relationships between cyclodextrin glucanotransferase from an alkalophilic Bacillus and alpha-amylases.

  Site-directed mutagenesis of the conserved two Asp and one Glu residues.
- SO FEBS LETTERS, (1992 Jan 13) 296 (1) 37-40. Journal code: 0155157. ISSN: 0014-5793.
- AU Nakamura A; Haga K; Ogawa S; Kuwano K; Kimura K; Yamane K.
- AN 92111781 MEDLINE
- L73 ANSWER 35 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Comparison of microbial amylase production by various mutants derived from Bacillus amyloliquefaciens
- SO Gongye Weishengwu (1992), 22(2), 26-9 CODEN: GOWEEK; ISSN: 1001-6678
- AU Hu, Xuezhi; Hou, Qinfang; Ling, Chen
- AN 1992:549367 HCAPLUS
- DN 117:149367
- L73 ANSWER 36 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- TI A mutant enzyme with reduced stability;
  - Bacillus amyloliquefaciens alpha-amylase

mutant expression in e.g. Escherichia coli, Bacillus,

Aspergillus spp.; bread improver with reduced thermostability during baking; DNA sequence

- AN 1991-04156 BIOTECHDS
- PI EP 409299 23 Jan 1991
- L73 ANSWER 37 OF 108 LIFESCI COPYRIGHT 2003 CSA DUPLICATE 15
- TI Random point mutation analysis of the signal peptide cleavage area of **Bacillus** stearothermophilus **alpha** -amylase.
- SO AGRIC. BIOL. CHEM., (1991) vol. 55, no. 11, pp. 2875-2876.
- AU Yamaguchi, K.; Ueda, M.; Kawanishi, G.; Udaka, S.
- AN 93:1248 LIFESCI
- L73 ANSWER 38 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Isolation of .alpha.-amylase hyperproducing strain HG4 from Bacillus sp. and some properties of the enzyme
- SO Sanop Misaengmul Hakhoechi (1991), 19(5), 464-9 CODEN: SMHAEH; ISSN: 0257-2389
- AU Kim, Moo Sung; O, Pyong Su
- AN 1993:537438 HCAPLUS
- DN 119:137438
- L73 ANSWER 39 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI STUDIES ON THE SCREENING OF THERMOSTABLE ALPHA AMYLASE-PRODUCING STRAINS.
- SO ACTA MICROBIOL SIN, (1991) 31 (4), 268-273. CODEN: WSHPA8. ISSN: 0001-6209.
- AU HU X; LING C; HOU Q; LEI Z
- AN 1992:71266 BIOSIS

- L73 ANSWER 40 OF 108 LIFESCI COPYRIGHT 2003 CSA
- TI Studies on the screening of thermostable alpha -amylase-producing strains
- SO ACTA MICROBIOL. SIN., (1991) vol. 31, no. 4, pp. 267-273. ISSN: 0001-6209.
- AU Xuezhi, Hu; Chen, Ling; Qinfang, Hou; Zhaozu, Lei
- AN 94:37980 LIFESCI
- L73 ANSWER 41 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- TI Effect of glucose and citrate on alpha-amylase production in Bacillus licheniformis; effect of glucose, citric acid culture medium C-source
- SO J.Basic Microbiol.; (1991) 31, 3, 217-22 CODEN: JBMIEO
- AU Tonkova A
- AN 1991-10760 BIOTECHDS
- L73 ANSWER 42 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
- TI EFFECT OF GLUCOSE AND CITRATE ON ALPHA-AMYLASE PRODUCTION IN BACILLUS-LICHENIFORMIS
- SO JOURNAL OF BASIC MICROBIOLOGY, (1991) Vol. 31, No. 3, pp. 217-222.
- AU TONKOVA A (Reprint)
- AN 91:402521 SCISEARCH
- L73 ANSWER 43 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Isolation of thermostable .alpha.-amylase
  hyperproducing Bacillus sp. No. 32H417 and some properties of
  the enzyme
- SO Sanop Misaengmul Hakhoechi (1991), 19(2), 122-7 CODEN: SMHAEH; ISSN: 0257-2389
- AU Kim, Moo Sung; O, Pyong Su
- AN 1993:556049 HCAPLUS
- DN 119:156049
- L73 ANSWER 44 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI .alpha.-Amylase deletion mutants of Bacillus, and their gene cloning and expression
- SO Jpn. Kokai Tokkyo Koho, 11 pp. CODEN: JKXXAF
- IN Imanaka, Tadayuki; Sai, Kiken; Ken, Masuo
- AN 1991:201125 HCAPLUS
- DN 114:201125

PΤ

- PATENT NO. KIND DATE APPLICATION NO. DATE

  JP 02222687 A2 19900905 JP 1989-43561 19890225
- L73 ANSWER 45 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI A METHOD TO RAPIDLY OBTAIN **BACILLUS**-LICHENIFORMIS **ALPHA AMYLASE VARIANTS** USING A SET OF SUPPRESSOR TRANSFER RNA
  GENES AND TEST OF THEIR ACTIVITY AND STABILITY.
- SO MEETING ON PROTEIN ENGINEERING, 1989, KOBE, JAPAN, AUGUST 20-25, 1989. PROTEIN ENG. (1990) 3 (4), 353. CODEN: PRENE9. ISSN: 0269-2139.
- AU DECLERCK N; JOYET P; MASSON J M
- AN 1990:403351 BIOSIS
- L73 ANSWER 46 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI SITE-DIRECTED MUTAGENESIS OF BACILLUS-SUBTILIS
  ALPHA AMYLASE SHOWS GLU208 AS A CATALYTIC RESIDUE.
- SO MEETING ON PROTEIN ENGINEERING, 1989, KOBE, JAPAN, AUGUST 20-25, 1989. PROTEIN ENG. (1990) 3 (4), 351-352. CODEN: PRENE9. ISSN: 0269-2139.
- AU TAKASE K; MATSUMOTO T; MIZUNO H; YAMANE K
- AN 1990:403348 BIOSIS

L73 ANSWER 47 OF 108 MEDLINE DUPLICATE 17

TI Site-directed mutagenesis of a thermostable alphaamylase from Bacillus stearothermophilus: putative role of three conserved residues.

- SO JOURNAL OF BIOCHEMISTRY, (1990 Feb) 107 (2) 267-72. Journal code: 0376600. ISSN: 0021-924X.
- AU Vihinen M; Ollikka P; Niskanen J; Meyer P; Suominen I; Karp M; Holm L; Knowles J; Mantsala P
- AN 90299864 MEDLINE
- L73 ANSWER 48 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
- TI SITE-DIRECTED MUTAGENESIS OF A THERMOSTABLE ALPHAAMYLASE FROM BACILLUS-STEAROTHERMOPHILUS PUTATIVE ROLE
  OF 3 CONSERVED RESIDUES
- SO JOURNAL OF BIOCHEMISTRY, (1990) Vol. 107, No. 2, pp. 267-272.
- AU VIHINEN M (Reprint); OLLIKKA P; NISKANEN J; MEYER P; SUOMINEN I; KARP M; HOLM L; KNOWLES J; MANTSALA P
- AN 90:90466 SCISEARCH
- L73 ANSWER 49 OF 108 MEDLINE DUPLICATE 18 TI Random mutagenesis used to probe the structure and function of
- Bacillus stearothermophilus alpha-amylase.

  SO PROTEIN ENGINEERING, (1990 Jan) 3 (3) 181-91.

  Journal code: 8801484. ISSN: 0269-2139.
- AU Holm L; Koivula A K; Lehtovaara P M; Hemminki A; Knowles J K
- AN 90231977 MEDLINE
- L73 ANSWER 50 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI High production strain of .alpha.-amylase from tunicamycin-resistant mutants of B. subtilis BF7658
- SO Weishengwu Xuebao (1990), 30(1), 83-5 CODEN: WSHPA8; ISSN: 0001-6209
- AU Jia, Shifang; Guo, Xinghua
- AN 1990:175379 HCAPLUS
- DN 112:175379
- L73 ANSWER 51 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Selection of the lysine-producing strains in starch medium
- SO Shipin Yu Fajiao Gongye (1990), (1), 57-62 CODEN: SPYYDO; ISSN: 0253-990X
- AU Jia, Shinu; Zhao, Shuqin; Ye, Wen
- AN 1990:438799 HCAPLUS
- DN 113:38799
- L73 ANSWER 52 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Manufacture of thermostable alpha-amylases with superproductive microorganisms at high temperatures
- SO Eur. Pat. Appl., 9 pp. CODEN: EPXXDW
- IN Perez Pascual, Miguel Antonio; Del Castillo Roman, Francisco; Martinez Reif, Pilar; Murillo Aranjo, Francisco Jose; Ruiz Vazquez, Rosa Maria; Balsalobre Balibrea, Josefa Maria
- AN 1990:53755 HCAPLUS
- DN 112:53755

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	EP 320685	A1	19890621	EP 1988-119794	19881128
	EP 320685	B1	19931013	•	
	R: BE, DE,	FR, GB	, IT, NL		
	ES 2007758	Aб	19890701	ES 1987-3510	19871207
	FI 8705567	A	19890608	FI 1987-5567	19871217
	FI 89077	В	19930430		
	FI 89077	C	19930810		

DK 8806801 A 19890608 DK 1988-6801 19881206

- L73 ANSWER 53 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI CIS SEQUENCES INVOLVED IN MODULATING EXPRESSION OF BACILLUS-LICHENIFORMIS AMY-L IN BACILLUS-SUBTILIS EFFECT OF SPORULATION MUTATIONS AND CATABOLITE REPRESSION RESISTANCE MUTATIONS ON EXPRESSION.
- SO J BACTERIOL, (1989) 171 (5), 2443-2450. CODEN: JOBAAY. ISSN: 0021-9193.
- AU LAOIDE B M; MCCONNELL D J
- AN 1989:312108 BIOSIS
- L73 ANSWER 54 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. DUPLICATE 19
- TI DISTURBANCE OF ALPHA AMYLASE SECRETION FROM
  BACILUS-AMYLOLIQUEFACIENS CELLS BY THE TREATMENT OF PUROMYCIN AND
  MAGNESIUM.
- SO KOREAN J APPL MICROBIOL BIOENG, (1989) 17 (5), 412-420. CODEN: SMHAEH. ISSN: 0257-2389.
- AU AHN S-J; KIM S-O; LEE D-H; SONG B-H
- AN 1990:130964 BIOSIS
- L73 ANSWER 55 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Predominant growth of .alpha.-amylase regulation mutant in continuous culture of Bacillus caldolyticus
- SO Journal of Fermentation and Bioengineering (1989), 67(3), 176-81 CODEN: JFBIEX; ISSN: 0922-338X
- AU Cheng, Chu Yuan; Yabe, Isamu; Toda, Kiyoshi
- AN 1989:191188 HCAPLUS
- DN 110:191188
- L73 ANSWER 56 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Selective growth of a mutant in continuous culture of Bacillus caldolyticus for production of .alpha.-amylase
- SO Applied Microbiology and Biotechnology (1989), 30(2), 125-9 CODEN: AMBIDG; ISSN: 0175-7598
- AU Cheng, Chu Yuan; Yabe, Isamu; Toda, Kiyoshi
- AN 1989:210892 HCAPLUS
- DN 110:210892
- L73 ANSWER 57 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISIDUPLICATE 20
- TI ISOLATION OF A STABLE AND HIGH YIELDING ALPHA-AMYLASE MUTANT OF BACILLUS-SUBTILIS
- SO JOURNAL OF BIOTECHNOLOGY, (1989) Vol. 11, No. 1, pp. 67-74.
- AU SHAH N K; NEHETE P N; SHAH V D; KOTHARI R M (Reprint)
- AN 89:428064 SCISEARCH
- L73 ANSWER 58 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Functional improvement of enzymes by recombinant DNA technology
- SO Gekkan Fudo Kemikaru (1989), 5(7), 31-7 CODEN: GFKEEX; ISSN: 0911-2286
- AU Yamane, Kunio
- AN 1989:547515 HCAPLUS
- DN 111:147515
- L73 ANSWER 59 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Methods for selection of .alpha.-amylase superproducing mutants
- SO Weishengwuxue Tongbao (1989), 16(1), 3-5 CODEN: WSWPDI; ISSN: 0253-2654
- AU Men, Dapeng; Jia, Shifang; Guo, Xinghua
- AN 1989:495531 HCAPLUS
- DN 111:95531
- L73 ANSWER 60 OF 108 HCAPLUS COPYRIGHT 2003 ACS

```
A method for complete mutagenesis of nucleic acids and for preparation of
    novel proteins
    Eur. Pat. Appl., 16 pp.
SO
    CODEN: EPXXDW
    Lehtovaara, Paivi; Knowles, Jonathan; Koivula, Anu; Bamford, Jaana;
IN
    Reinikainen, Tapani
    1989:187342 HCAPLUS
ΑN
    110:187342
DN
                                         APPLICATION NO. DATE
    PATENT NO.
                     KIND DATE
                                         ______
     _____
                     A2 19881005
                                         EP 1988-105163 19880330
    EP 285123
PΙ
                     A3 19890201
    EP 285123
        R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE
                           19881004 FI 1988-1530 19880331
    FI 8801530
                     Α
    JP 01020089
                     A2
                           19890124
                                          JP 1988-81159
                                                          19880401
     ANSWER 61 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
     Complete nucleotide sequence of an alpha-amylase gene
ΤI
      from Bacillus subtilis 2633, an alpha-amylase
     extrahyperproducing strain;
        comparison with alpha-amylase genes in other
        Bacillus subtilis strains
SO
     Nucleic Acids Res.; (1988) 16, 14B, 7178
      CODEN: NARHAD
ΑU
      Emori M; Maruo B
     1988-10076 BIOTECHDS
AN
                                                       DUPLICATE 21
L73 ANSWER 62 OF 108
                        MEDLINE
     [Two-codon mutagenesis of alpha-amylase gene
TΤ
    of Bacillus amyloliquefaciens).
    Dvukhkodonnyi mutagenez gena alpha-amilazy Bacillus amyloliquefaciens.
    MOLEKULIARNAIA BIOLOGIIA, (1988 Sep-Oct) 22 (5) 1265-71.
SO
    Journal code: 0105454. ISSN: 0026-8984.
    Smirnova N A; Sorokin A V; Laptev D A; Veiko V P; Kozlov Iu I
ΑU
    89127179
                 MEDLINE
AN
                                                       DUPLICATE 22
L73 ANSWER 63 OF 108
                         MEDLINE
     [Mutations in the alpha-amylase gene of
TI
    Bacillus amyloliquefaciens, leading to a decrease in the
     temperature of protein inactivation].
    Mutatsii v gene alpha-amilazy Bacillus amyloliquefaciens, privodiashchie k
     snizheniiu temperatury inaktivatsii belka.
    MOLEKULIARNAIA BIOLOGIIA, (1988 Sep-Oct) 22 (5) 1257-64.
SO
    Journal code: 0105454. ISSN: 0026-8984.
    Smirnova N A; Sorokin A V; Iomantas Iu V; Abalakina E G; Kozlov Iu I
AU
    89127178
                 MEDLINE
AN
L73 ANSWER 64 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
     2-CODON MUTAGENESIS OF GENE FOR ALPHA-AMYLASE
TI
     IN BACILLUS-AMYLOLIQUEFACIENS
    MOLECULAR BIOLOGY, (1988) Vol. 22, No. 5, pp. 1013-1019.
SO
     SMIRNOVA N A (Reprint); SOROKIN A V; LAPTEV D A; VEIKO V P; KOZLOV Y I
ΑIJ
AN
    89:321910 SCISEARCH
L73 ANSWER 65 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
    MUTATION IN ALPHA-AMYLASE GENE OF
TΤ
     BACILLUS-AMYLOLIQUEFACIENS LEADING TO REDUCTION IN TEMPERATURE OF
     PROTEIN INACTIVATION
    MOLECULAR BIOLOGY, (1988) Vol. 22, No. 5, pp. 1006-1012.
SO
    SMIRNOVA N A (Reprint); SOROKIN A V; IOMANTAS Y V; ABALAKINA E G; KOZLOV Y
ΑU
     I; STEPANOV A I
```

AN

89:321909 SCISEARCH

L73 ANSWER 66 OF 108 HCAPLUS COPYRIGHT 2003 ACS

```
Studies on the technology of production of .alpha .-
ΤI
     amvlase by a Mutant B.S. 796
     Shengwu Gongcheng Xuebao (1988), 4(2), 119-26
SO
     CODEN: SGXUED; ISSN: 1000-3061
     Xu, Xianzhang; Gu, Chuanxian; Quan, Wenhai; Xu, Weiwei; Zhao, Yunlin; Xu,
ΑU
     Yan; Chen, Rongxing; Wang, Jianwei
     1988:508870 HCAPLUS
ΑN
     109:108870
DN
     ANSWER 67 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Processing and export of Bacillus stearothermophilus
TI
      alpha-amylase carrying signal sequence
     mutations;
         gene expression in Escherichia coli (conference paper)
      ICSU Short Rep.; (1988) Vol.8, Miami Bio/Technol. Winter Symp., 38
SO
      Suominen I; Meyer P; Kopio A; Tiihonen R; Glumoff T; Karp M
ΑU
AN
      1989-11640 BIOTECHDS
    ANSWER 68 OF 108 HCAPLUS COPYRIGHT 2003 ACS
L73
     Molecular cloning of .alpha .- amylase gene from a
TΤ
     mutant of Bacillus licheniformis and its expression in various
     strains
     Journal of General and Applied Microbiology (1987), 33(4), 355-62
SO
     CODEN: JGAMA9; ISSN: 0022-1260
     Kishida, Hiroshi; Tojo, Takashi; Maruo, Bunji
ΑIJ
     1988:70100 HCAPLUS
ΑN
DN
     108:70100
     ANSWER 69 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
     Use of lambda exonuclease for efficient oligonucleotide-mediated
TI
      site-directed deletion and point mutation of double-stranded DNA;
         demonstrated using human tissue plasminogen-activator and
         Bacillus amyloliquefaciens alpha-amylase
         genes
     DNA; (1987) 6, 3, 273-79
SO
      CODEN: DNAADR
ΑU
      Palermo D P; Hess G F
      1987-13376 BIOTECHDS
AN
    ANSWER 70 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
Ĺ73
ΤI
     TARGETED MUTAGENESIS OF BACILLUS-STEAROTHERMOPHILUS
     ALPHA-AMYLASE SIGNAL PEPTIDE
     PROTEIN ENGINEERING, (1987) Vol. 1, No. 3, pp. 243.
SO
     SUOMINEN I (Reprint); KOPIO A; KARP M; MEYER P; MANTSALA P
ΑU
ΑN
     87:404568 SCISEARCH
     ANSWER 71 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
L73
      Targeted mutagenesis of Bacillus stearothermophilus
TΙ
      alpha-amylase signal peptide;
         and cloning in Escherichia coli (conference abstract)
SQ
      Protein Eng.; (1987) 1, 3, 243
      CODEN: PRENE9
ΑU
      Suominen I; Kopio A; Karp M; Meyer P; Mantsala P
ΑN
      1987-11650 BIOTECHDS
    ANSWER 72 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
L73
     TARGETED MUTAGENESIS OF BACILLUS-STEAROTHERMOPHILUS
TT
     ALPHA AMYLASE SIGNAL PEPTIDE.
     PROTEIN ENGINEERING '87, OXFORD, ENGLAND, UK, APRIL 5-8, 1987. PROTEIN
SO
     ENG. (1987) 1 (3), 243-244.
     CODEN: PRENE9. ISSN: 0269-2139.
```

SUOMINEN I; KOPIO A; KARP M; MEYER P; MANTSALA P

ΑU

AN

1987:435416 BIOSIS

ANSWER 73 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI L73 Thermolabile protein variant of the thermostable alpha ΤI -amylase from Bacillus licheniformis; (conferencé abstract) Protein Eng.; (1987) 1, 3, 241 SO CODEN: PRENE9 Joyet P; Declerck N; Le Reverend B; Heslot H ΑU 1987-11496 BIOTECHDS ANANSWER 74 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI L73 THERMOLABILE PROTEIN VARIANT OF THE THERMOSTABLE ALPHA ΤI -AMYLASE FROM BACILLUS-LICHENIFORMIS PROTEIN ENGINEERING, (1987) Vol. 1, No. 3, pp. 241. SO JOYET P (Reprint); DECLERCK N; LEREVEREND B; HESLOT H ΑU 87:404556 SCISEARCH AN L73 ANSWER 75 OF 108 MEDLINE DUPLICATE 24 ΤI Modulation of Bacillus subtilis alpha-amylase promoter activity by the presence of a palindromic sequence in front of BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (1987 Jul 15) 146 (1) SO 73-9. Journal code: 0372516. ISSN: 0006-291X. ΑU Takano J; Kinoshita T; Yamane K AN 87270772 MEDLINE L73 ANSWER 76 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI Targeted mutagenesis of Bacillus stearothermophilus TI alpha-amylase signal peptide; expression in Escherichia coli (conference abstract) Protein Engineering 87; (1987) 23-24 SO Suominen I; Kopio A; Karp M; Meyer P; Mantsala P ΑU 1989-05994 BIOTECHDS AN L73 ANSWER 77 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI TT A truncated, thermostable Bacillus stearothermophilus alpha-amylase; created by site-directed mutagenesis (conference abstract) SO Protein Engineering 87; (1987) 21 Glumoff T; Karp M; Iitia A; Souminen I; Mantsala P ΑU 1989-05993 BIOTECHDS ANANSWER 78 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI L73 TIThermolabile protein variant of the thermostable alpha -amylase from Bacillus licheniformis; (conference abstract) SO Protein Engineering 87; (1987) 21 Joyet P; Declerck N; Le Reverend B; Heslot H ΑU 1989-05992 BIOTECHDS AN ANSWER 79 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI L73 Alpha-amylase production by Bacillus TIacidocaldarius, B. stearothermophilus and their D-cycloserine resistant mutants; Bacillus acidocaldarius and Bacillus stearothermophilus potential strain improvement Agric.Biol.Chem.; (1986) 50, 10, 2633-35 SO CODEN: ABCHA6 ΑIJ Kanno M 1987-01070 BIOTECHDS ANL73 ANSWER 80 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.

CLONING AND EXPRESSION OF A LIQUEFYING ALPHA AMYLASE

GENE FROM BACILLUS-AMYLOLIQUEFACIENS IN BACILLUS-SUBTILIS.

TΙ

- SO KOREAN J APPL MICROBIOL BIOENG, (1986 (RECD 1987)) 14 (6), 479-486. CODEN: SMHAEH.
- AU GHIM S-Y; SONG B-H; RHEE I-K; SEU J-H; HONG S D
- AN 1987:358291 BIOSIS
- L73 ANSWER 81 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI
- TI Study of catalytic properties of alpha-amylase of morphological variants of Bacillus subtilis R-623; enzyme isolation purification and comparison
- SO Biokhimiya; (1986) 51, 3, 378-86 CODEN: BIOHAO
- AU Balsis A B; Bakhmatova I V; Ciurlis T K; Glemzha A A; Sinitsyn A P; Taleborovskaya I K
- AN 1986-06100 BIOTECHDS
- L73 ANSWER 82 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Selection of a high .alpha.-amylase-producing strain 8a5 from Bacillus subtilis 209 I. Selection and fermentation condition of a strain 8a5
- SO Weishengwuxue Tongbao (1986), 13(2), 61-4 CODEN: WSWPDI; ISSN: 0253-2654
- AU He, Jichun; Wang, Fengyun; He, Chunhua
- AN 1986:475540 HCAPLUS
- DN 105:75540
- L73 ANSWER 83 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI A STABLE PLASMID VECTOR AND CONTROL OF ITS COPY NUMBER IN BACILLUS-BREVIS 47 A PROTEIN-PRODUCING BACTERIUM.
- SO APPL ENVIRON MICROBIOL, (1985) 49 (5), 1076-1079. CODEN: AEMIDF. ISSN: 0099-2240.
- AU YAMAGATA H; NAKAGAWA K; TSUKAGOSHI N; UDAKA S
- AN 1985:369478 BIOSIS
- L73 ANSWER 84 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Amylases of morphological variants of Bacillus subtilis R-623
- SO Biokhimiya (Moscow) (1985), 50(6), 928-35 CODEN: BIOHAO; ISSN: 0006-307X
- AU Balsis, A.; Baratova, L. A.; Bakhmatova, I. V.; Glemza, A.; Janulaitiene,
- AN 1985:450230 HCAPLUS
- DN 103:50230
- L73 ANSWER 85 OF 108 MEDLINE DUPLICATE 27
- TI [Purification and properties of alpha-amylases in morphological variants of Bacillus subtilis].

  Ochistka i nekotorye svoistva al'fa-amilaz morfologicheskikh variantov Bacillus subtilis.
- SO PRIKLADNAIA BIOKHIMIIA I MIKROBIOLOGIIA, (1984 Nov-Dec) 20 (6) 804-9. Journal code: 0023416. ISSN: 0555-1099.
- AU Bakhmatova I V; Bal'sis A B; Chiurlis T K; Glemzha A A; Ianulaitene K K
- AN 85113072 MEDLINE
- L73 ANSWER 86 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Change in properties of .alpha.-amylases during dissociation of a population of Bacillus subtilis
- SO Funkts. Genoma Ontog. (1984), 5-13. Editor(s): Debabov, V. G. Publisher: Akad. Nauk Lit. SSR, Inst. Biokhim., Vilnius, USSR. CODEN: 54VYAW
- AU Balsis, A.; Bakhmatova, I. V.; Leitaniene, D.
- AN 1986:65774 HCAPLUS
- DN 104:65774
- L73 ANSWER 87 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Amylase-negative, asporogenous mutant of Bacillus subtilis useful as a host in a host-vector system

```
SO Eur. Pat. Appl., 20 pp.
```

CODEN: EPXXDW

IN Dean, Donald H.; Ellis, Daniel M.

AN 1984:3412 HCAPLUS

DN 100:3412

DI.	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI·	EP 92235	'A2	19831026	EP 1983-103781	19830419
	EP 92235	A3	19840912		
	R: BE, CH,	DE, FR	, IT, LI, NL,	SE	
	US 4465773	Α	19840814	US 1982-370433	19820421
	AU 8313221	A1	19831027	AU 1983-13221	19830407
	AU 555540	B2	19861002		
	ZA 8302452	Α	19831228	ZA 1983-2452	19830407
	IL 68378	A1	19860228	IL 1983-68378	19830414
	DK 8301733	Α	19831022	DK 1983-1733	19830420
	GB 2118968	A1	19831109	GB 1983-10737	19830420
	GB 2118,968	B2	19850717		
	JP 58190391	A2	19831107	JP 1983-69280	19830421

- L73 ANSWER 88 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Increasing the yield of a product by altering a microorganism
- SO Eur. Pat. Appl., 38 pp.
- CODEN: EPXXDW
- IN Yoneda, Yuko; Young, Frank E.
- AN 1983:433890 HCAPLUS
- DN 99:33890

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	EP 74553	A2	19830323	EP 1982-107959	19820830
	EP 74553	A3	19850109		
	R: AT, BE,	CH, DE	, FR, GB, IT,	LI, NL, SE	
	IL 66758	A1	19860228	IL 1982-66758	19820909
	DK 8204062	A	19830312	DK 1982-4062	19820910
	NO 8203080	A	19830314	NO 1982-3080	19820910
	ES 515620	A1	19840401	ES 1982-515620	19820910
	JP 58067186	A2	19830421	JP 1982-158725	19820911
	JP 62053150	B4	19871109	•	
	US 4801541	A	19890131	US 1987-58688	19870603

- L73 ANSWER 89 OF 108 MEDLINE DUPLICATE 28
- TI Molecular cloning in Bacillus subtilis of a Bacillus licheniformis gene encoding a thermostable alpha amylase.
- SO GENE, (1983 Sep) 23 (3) 267-76.
  - Journal code: 7706761. ISSN: 0378-1119.
- AU Ortlepp S A; Ollington J F; McConnell D J
- AN 84029878 MEDLINE
- L73 ANSWER 90 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI MATHEMATICAL MODELING OF LINEAR POLY SACCHARIDE HYDROLYSIS BY ENDO
- SO Mol. Biol. (Engl. Transl.), (1982) 16 (3 PART 1), 393-403. CODEN: MOLBBJ. ISSN: 0026-8933.
- AU ELYAKOVA L A; MAZUR A K
- AN 1983:82804 BIOSIS
- L73 ANSWER 91 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI DIRECT ACTIVITY STAINS FOR GLYCOSIDASE AND GLUCOSYL TRANSFERASE AFTER ISO ELECTRIC FOCUSING IN HORIZONTAL POLY ACRYLAMIDE GEL LAYERS.
- SO ANAL BIOCHEM, (1982) 123 (2), 276-284. CODEN: ANBCA2. ISSN: 0003-2697.
- AU MUKASA H; SHIMAMURA A; TSUMORI H
- AN 1983:214118 BIOSIS

- L73 ANSWER 92 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Properties of .alpha.-amylase and .beta.-glucanase-forming mutants from various Bacillus species
- Abhandlungen der Akademie der Wissenschaften der DDR, Abteilung Mathematik, Naturwissenschaften, Technik (1981), (3N, Mikrob. Enzymprod.), 123-36
  - CODEN: AAWTD2; ISSN: 0138-1059
- AU Speter, W.; Albrecht, H.; Drechsler, H.; Mueller, M.; Grunow, R.
- AN 1982:102425 HCAPLUS
- DN 96:102425
- L73 ANSWER 93 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
  DUPLICATE 29
- TI STEPWISE INTRODUCTION OF REGULATORY GENES STIMULATING PRODUCTION OF ALPHA AMYLASE INTO BACILLUS-SUBTILIS
  CONSTRUCTION OF AN ALPHA AMYLASE EXTRA HYPER PRODUCING STRAIN.
- SO AGRIC BIOL CHEM, (1979 (RECD 1980)) 43 (11), 2343-2350. CODEN: ABCHA6. ISSN: 0002-1369.
- AU HITOTSUYANAGI K; YAMANE K; MARUO B
- AN 1980:202925 BIOSIS
- L73 ANSWER 94 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. DUPLICATE 30
- TI BIOSYNTHESIS OF ALPHA AMYLASE BY BACILLUS -SUBTILIS VARIANTS.
- SO MIKROBIOLOGIYA, (1979) 48 (3), 514-516. CODEN: MIKBA5. ISSN: 0026-3656.
- AU BAKHMATOVA I V; ZHARIKOVA G G
- AN 1980:247103 BIOSIS
- L73 ANSWER 95 OF 108 MEDLINE DUPLICATE 31
- TI [Experimental verification of the results of the mathematical modeling of the process of formation of alpha-amylase
  -nonproductive mutants of Bacillus subtilis under continous cultivation].

  Eksperimental'naia proverka rezul'tatov matematicheskogo modelirovaniia protsessa obrazovaniia na produktivnykh po al'fa-amilaze mutantov Bacillus subtilis v usloviiakh nepreryvnogo kul'tivirovaniia.
- SO MIKROBIOLOGIIA, (1979 Jan-Feb) 48 (1) 93-8. Journal code: 0376652. ISSN: 0026-3656.
- AU Fencl Z; Pazlarova J; Placek I; Egorova L A; Loginova I G
- AN 79134469 MEDLINE
- L73 ANSWER 96 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
- TI EXPERIMENTAL-VERIFICATION OF RESULTS OBTAINED BY MATHEMATICAL-MODELING OF THE PRODUCTION OF NON-ALPHA-AMYLASE PRODUCING BACILLUS-SUBTILIS MUTANTS DURING CONTINUOUS CULTIVATION
- SO MICROBIOLOGY, (1979) Vol. 48, No. 1, pp. 71-75.
- AU FENCL Z (Reprint); PAZLAROVA J; PLAZEK I; EGOROVA L A; LOGINOVA L G
- AN 79:443675 SCISEARCH
- L73 ANSWER 97 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC:
- TI EXPERIMENTAL VERIFICATION OF RESULTS OBTAINED BY MATHEMATICAL MODELING OF THE PRODUCTION OF NON-ALPHA-AMYLASE PRODUCING
  BACILLUS-SUBTILIS MUTANTS DURING CONTINUOUS CULTIVATION.
- SO Microbiology (Engl. Transl.), (1979) 48 (1), 71-75.
- CODEN: MIBLAO. ISSN: 0026-2617.

  AU FENCL Z; PAZLAROVA J; PLAZEK I; EGOROVA L A; LOGINOVA L G
- AN 1980:13491 BIOSIS
- L73 ANSWER 98 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- TI Stepwise genetic transformation of Bacillus subtilis with enhancement of productivity of .alpha.-amylase
- SO Proceedings of the Japan Academy, Series B: Physical and Biological

```
Sciences (1978), 54(8), 435-9
     CODEN: PJABDW; ISSN: 0386-2208
     Maruo, Bunji; Yamane, Kunio; Yoneda, Yuko; Hitotsuyanagi, Kazumasa
ΑU
AN
     1979:51250 HCAPLUS
DN
     90:51250
     ANSWER 99 OF 108 HCAPLUS COPYRIGHT 2003 ACS
L73
ΤI
     Purification methods and properties of fungal and bacterial amylases
     Metody Poluch. Vysokoochishchennykh Fermentov (1978), 125-8. Editor(s):
SO
     Glemzha, A. A. Publisher: Vses. Nauchno-Issled. Inst. Prikl. Enzimol.,
     Vilnius, USSR.
     CODEN: 43SAAT
ΑU
     Kvesitadze, G. I.
     1980:490840 HCAPLUS
AN
DN
     93:90840
L73
     ANSWER 100 OF 108 HCAPLUS COPYRIGHT 2003 ACS
TI
     Biotechnical production methods of cellular enzymes
SO
     Tutkimus ja Tekniikka (1976), (4), 56-7
     CODEN: TTTKAR; ISSN: 0355-2578
ΑU
     Markkanen, Pertti
AN
     1978:458323 HCAPLUS
DN
     89:58323
· L73
     ANSWER 101 OF 108 HCAPLUS COPYRIGHT 2003 ACS
TI
     Characteristics of amy gene revertants of a Bacillus subtilis .
     alpha. -amylase producer
SO
     Proizvodstvo i Primenenie Mikrobnykh Fermentnykh Preparatov (1976), 3,
     12-23
     CODEN: PPMPD6; ISSN: 0206-3425
     Baranauskaite, A.; Bagdonaite, S.; Vasilauskas, J.; Galvydis, J.;
ΑU
     Gorinchuk, G. F.
ΑN
     1978:420053 HCAPLUS
     89:20053
DN
     ANSWER 102 OF 108 HCAPLUS COPYRIGHT 2003 ACS
L73
ΤI
     Properties of thermosensitive extracellular .alpha. -
     amylases of Bacillus subtilis
SO
     Journal of Bacteriology (1974), 120(2), 792-8
     CODEN: JOBAAY; ISSN: 0021-9193
AU
     Yamane, Kunio; Maruo, Bunji
     1975:40031 HCAPLUS
AN
     82:40031
DN
L73
     ANSWER 103 OF 108 HCAPLUS COPYRIGHT 2003 ACS
TI
     Genetic and biochemical studies on cell-bound .alpha -
     amylase in Bacillus subtilis
SO
     Journal of Bacteriology (1974), 119(2), 425-30
     CODEN: JOBAAY; ISSN: 0021-9193
ΑU
     Nagata, Yoshiho; Yamaguchi, Kazuo; Maruo, Bunji
     1974:516909 HCAPLUS
AN
     81:116909
DN
L73
     ANSWER 104 OF 108
                            MEDLINE
                                                         DUPLICATE 32
TT
     Isolation of mutants defective in alpha-
     amylase from Bacillus subtilis: genetic analyses.
SO
     JOURNAL OF BACTERIOLOGY, (1974 Aug) 119 (2) 416-24.
     Journal code: 2985120R. ISSN: 0021-9193.
· AU
     Yamaguchi K; Nagata Y; Maruo B
     74303176
AN
                  MEDLINE
L73
     ANSWER 105 OF 108 SCISEARCH COPYRIGHT 2003 THOMSON ISI
```

TΙ

ISOLATION OF MUTANTS DEFECTIVE IN ALPHA-

AMYLASE FROM BACILLUS-SUBTILIS - GENETIC ANALYSES

- JOURNAL OF BACTERIOLOGY, (1974) Vol. 119, No. 2, pp. 416-424. SO
- YAMAGUCH.K (Reprint); NAGATA Y; MARUO B ΑU
- AN 74:318429 SCISEARCH
- ANSWER 106 OF 108 EMBASE COPYRIGHT 2003 ELSEVIER SCI. B.V.DUPLICATE 33 L73
- Genetic control of the rate of .alpha. amylase TΤ synthesis in Bacillus subtilis.
- Journal of Bacteriology, (1974) 119/2 (410-415). SO CODEN: JOBAAY
- ΑU Yamaguchi K.; Nagata Y.; Maruo B.
- AN75136508 EMBASE
- ANSWER 107 OF 108 HCAPLUS COPYRIGHT 2003 ACS L73
- Membrane mutation related to the production of extracellular . ΤI alpha.-amylase and protease in Bacillus subtilis
- Biochemical and Biophysical Research Communications (1973), 50(3), 765-70 SO CODEN: BBRCA9; ISSN: 0006-291X
- Yoneda, Y.; Yamane, K.; Maruo, B. 1973:94718 HCAPLUS ΑU
- AN
- DN 78:94718
- L73 ANSWER 108 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- The physical and genetic characterization of a transformable enzyme: TI Bacillus subtilis .alpha.-amylase
- Biochimica et Biophysica Acta (1964), 89(2), 277-90 SO CODEN: BBACAQ; ISSN: 0006-3002
- ΑU Green, MacDonald D.; Colarusso, Leonard J.
- ΑN 1964:463499 HCAPLUS
- DN 61:63499 OREF 61:11055c-d
- => d ab 9,11,14,17,26,32,35,44,45,47,52,62
- ANSWER 9 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI L73 An amylolytic enzyme (I) derived from Bacillus licheniformis AB alpha-amylase (EC-3.2.1.1) (or an enzyme with 70% identity) is new, containing 1 or more amino acid changes at position 104 (Asn to Asp), 128 (Val to Glu), 187 (Ser to Asp) and 188 (Asn to Asp) of the wild-type enzyme. Also claimed are: a nucleic acid encoding (I); a vector for the expression of (I); host cells expressing (I); and, a detergent composition containing (I). (I) preferably has an additional amino acid change, providing the enzyme with increased thermostability, preferably the mutations His 133 to Tyr 133 and Thr 149 to Ile 149. may also have at least 1 amino acid change providing the enzyme with improved oxidation stability, preferably by changing a Met residue to another amino acid, e.g. Met 197. The mutant enzyme has higher activity under optimal and suboptimal conditions (pH less than 6.5 or over 7 and/or Ca2+ concentration under 50 ppm). (I) may be used for starch degradation (syrup, isosyrup or ethanol production), in textile or paper desizing, in the brewing industry and in household surfactant compositions. (32pp)
- DUPLICATE 1 L73 ANSWER 11 OF 108 MEDLINE We have identified previously two critical positions for the AB thermostability of the highly thermostable alpha-amylase from Bacillus licheniformis. We have now introduced all 19 possible amino acid residues to these two positions, His133 and Ala209. The most favourable substitutions were to Ile and Val, respectively, which both increased the half-life of the enzyme at 80 degrees C by a factor of approximately 3. At both positions a stabilizing effect of hydrophobic residues was observed, although only in the case of position 133 could a clear correlation be drawn between the hydrophobicity of the inserted

amino acid and the gain in protein stability. The construction of double mutants showed a cumulative effect of the most favourable and/or deleterious substitutions. Computer modelling was used to generate a 3-D structure of the wild-type protein and to model substitutions at position 209, which lies in the conserved (alpha/beta)8 barrel domain of alpha-amylase; Ala209 would be located at the beginning of the third helix of the barrel, in the bottom of a small cavity facing the fourth helix. The model suggests that replacement by, for example, a valine could fill this cavity and therefore increase intra- and interhelical compactness and hydrophobic interactions.

ANSWER 14 OF 108 BIOTECHDS COPYRIGHT 2003 THOMSON DERWENT AND ISI L73 A new lipase (EC-3.1.1.3) or alpha-amylase AB (EC-3.2.1.1) variant, stabilized towards inactivation caused by a peroxidase (EC-1.11.1.7) system (a peroxidase, an H2O2 source and an enhancing agent) has at least 1 native Tyr residue deleted or substituted with Phe, Leu, Ile, Val, Gln, Asn, Ser, Thr, Glu or His. The lipase variant is from Humicola lanuginosa (preferred), Humicola brevispora, Humicola brevis var. thermoidea, Humicola insolens, Pseudomonas cepacia, Pseudomonas fragi, Pseudomonas stutzeri, Pseudomonas fluorescens, Fusarium oxysporum, Rhizomucor miehei, Candida antarctica or Candida cylindracea, and has a mutation at position 16, 21, 53, 138, 164, 171, 194, 213, 220 or 261. The alpha-amylase variant is from Bacillus licheniformis (preferred) or Aspergillus sp., and has a mutation at position 10, 14, 31, 46, 56, 59, 62, 77, 98, 150, 158, 175, 193, 195, 198, 203, 219, 262, 273, 290, 302, 348, 358, 363, 367, 394, 396, 402, 439 or 480. The enzymes are useful in surfactant compositions, and have improved compatibility with peroxidase systems used to inhibit dye transfer. (28pp)

L73 ANSWER 17 OF 108 MEDLINE

DUPLICATE 3

A bacterial alpha-amylase from Bacillus subtilis was found to be strongly inhibited by wheat alpha-amylase inhibitors 0.53 and 0.19, which had previously been thought specific for animal alpha-amylase. Inhibition and gel filtration studies of site-directed mutants of B. subtilis alphaamylase with the inhibitors indicated a direct correlation between the alpha-amylase activity and the inhibitory effect of inhibitor binding. A mutant enzyme His 180-->Asn, which was 20 times less active in terms of kcat than the wild type, was less sensitive to inhibition by similar degrees, while the specificity for 0.53 and 0.19 changed significantly as a result of the mutation. Catalytic-site mutants that were completely devoid of catalytic activity virtually lost the ability to bind inhibitors, even though they retained high affinities for substrates. results show that the integrity of the catalytic site is crucial for inhibitor binding and, despite the previously observed tight binding, reveal a subtle nature of the interaction between alpha-amylase and the wheat inhibitor, which leads to a proposal of a two-step mechanism for the binding interaction.

L73 ANSWER 26 OF 108 MEDLINE

DUPLICATE 8

ABS Site-directed mutagenesis of a thermostable alphaamylase from Bacillus stearothermophilus was performed
to assess the role of amino acid residues near the catalytic site in
catalysis. Asn329 is presumed to be adjacent to the proposed catalytic
residue Asp331. Its mutation to Lys, which is found at the corresponding
position in pullulanase, resulted in the loss of 99.7% of the activity,
while the mutation to Asp or Val did not drastically reduce the activity.
The mutation to Val altered the temperature/activity profile so that the
activity was reduced to 25% of wild-type alpha-amylase at 60 degrees C but
was over twofold greater at 5 degrees C. This effect could be ascribed to
a decrease in the activation enthalpy by 32%. The mutation to Asp or Lys
altered the pH/activity profile concomitant with possible changes in the
ionization state of the groups introduced. These results show the

feasibility of altering and possibly improving the enzyme activity by mutagenesis of residues near the catalytic groups.

- L73 ANSWER 32 OF 108 MEDLINE DUPLICATE 12 Genetic screening at temperatures between 70-80 degrees C far exceeds the AB range of growth of most bacteria, and is not applicable to isolate easily thermostable protein variants. We describe a temperature shift protocol and an in vivo screening method which allowed us to identify a hyperthermostable variant of the thermostable alphaamylase from Bacillus licheniformis. Our strategy was to select, after hydroxylamine mutagenesis, an intragenic suppressor mutation which overcomes a mutation leading to a thermolabile enzyme. Sequence analysis of the mutated gene revealed only one change in the amino acid sequence, substituting a valine for alanine at position 209. This single amino acid replacement increased the half-life of the protein at 90 degrees C by a factor of two to three relative to the wild-type enzyme. When this substitution was combined with another stabilizing substitution (H133Y) we described previously, the stabilizing effects were additive. The half-life of the new protein was about 12 hours at 90 degrees C, corresponding to a nine to ten-fold increase over the wild-type enzyme and the industrial Bacillus licheniformis alpha -amylase Termamyl. These mutations are located in a
- L73 ANSWER 35 OF 108 HCAPLUS COPYRIGHT 2003 ACS

  AB Several microorganism mutants which produced alpha amylase were isolated from the parent strain BF7658. The strains
  produced amylase as well as alk. proteinase. Optimal pH was 6. Ca2+ at
  >0.6% suppressed enzyme prodn.

predicted folding domain of the protein which appears crucial in

determining thermal stability.

- ANSWER 44 OF 108 HCAPLUS COPYRIGHT 2003 ACS

  B. subtilis .alpha.-amylase (I) C-terminal deletion mutants having higher sp. activity than wild type I are given. These I mutants have enzymic activity in broader pH range than the wild type I. The deletion (123-468 bp) is made at 3' end of the codon for Lys480 of I. I gene was cloned from B. subtilis and used to prep. expression plasmid pTC237-76 from which 3 expression plasmids encoding deletion mutants were prepd. Into B. subtilis plasmid pTB53, the wild I gene and mutant genes were subcloned and transformed into B. subtilis. B. subtilis transformants produced I and its deletion mutants by aerobic fermn. The deletion mutants of I had sp. activities of 624, 582, and 609 unit/mg, resp.; the wild type I had optimal pH at 5.5-7.5, as compared to 5.5-6.5 for that of the wild type I.
- L73 ANSWER 45 OF 108 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- DUPLICATE 17 L73 ANSWER 47 OF 108 MEDLINE The relationship between structure, activity, and stability of the AB thermostable Bacillus stearothermophilus alphaamylase was studied by site-directed mutagenesis of the three most conserved residues. Mutation of His-238 to Asp involved in Ca2+ and substrate binding reduced the specific activity and thermal stability, but did not affect the pH and temperature optima. Replacement of Asp-331 by Glu in the active site caused almost total inactivation. Interestingly, in prolonged incubation this mutant enzyme showed an altered end-product profile by liberating only maltose and maltotriose. Conservative mutation of the conserved Arg-232 by Lys, for which no function has yet been proposed, resulted in lowered specific activity: around 12% of the parental enzyme. This mutant enzyme had a wider pH range but about the same temperature optimum and thermal stability as the wild-type enzyme. Results obtained with different mutants were interpreted by computer aided molecular modeling.

- L73 ANSWER 52 OF 108 HCAPLUS COPYRIGHT 2003 ACS
- The title enzyme (I) is manufd. by culturing Bacillus NCIB 12563 at 50-70.degree., preferably 55-65.degree., and recovering I from the culture medium. Bacillus NCIB 12563, an over-prodn. mutant of parental strain 11886, was shake-cultured in medium contg. corn steep liquor, NH4Cl, sol. starch, and yeast ext. at 56.degree. for 24 h to produce I 917 units/mL compared to 216 for that of the parental strain 11886. I was isolated from the culture medium by fractionation with acetone (4.degree.). Prodn. of I on an industrial scale was given.
- ANSWER 62 OF 108 MEDLINE DUPLICATE 21

  The oligonucleotide encoding Bam HI recognition site having the structure pCGGGATC had been inserted into the recognition sites MspI of the B. amyloliquefaciens alpha-amylase gene, which was cloned in pTG29B plasmid. The alpha-amylase gene had no BamHI sites before mutagenesis. The set of pNSBamHI plasmids with BamHI site at four different positions was obtained. It was shown that all the mutant alpha-amylases possess different specific activities. One of the mutant proteins possesses reduced thermostability. The mutant alpha-amylases can be used for further experiments on protein-engineering of liquefying-type alpha-amylases.

=> log y COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	211.12	211.33
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.95	-1.95

STN INTERNATIONAL LOGOFF AT 14:13:57 ON 24 JUN 2003